



BLACK MAMBA GLOVES were created in response to repeated demands from customers needing a disposable glove that was tough enough to withstand the tasks that their jobs required. No longer will you have to change your glove multiple times due to ripping or tearing. For gloves built for your tough tasks... it has to be Black Mamba Gloves.

Here are just a few examples. Take a look inside to see all of our great products.

FEATURE: Proprietary NITREX® Polymer

BENEFIT: Superior strength and tear resistance.

FEATURE: Two-Ply Fusion Strength
BENEFIT: Our unique process fuses an added polymer
to facilitate donning and comfort.

FEATURE: Chemical Protection

BENEFIT: 3 times the chemical resistance of latex or vinyl.

FEATURE: Made to Grip... Not to Slip

BENEFIT: Fully textured with Grip Rite finish, Mamba Gloves

provide the precise contact when tactile

sensitivity is a must.





BLK-Series

OTG-Series

BTG - Series







GRN-Series

CPT-Series

Distributed By:

www.BlackMambaGloves.com

BLACK MANBA

Black Mamba Disposable Nitrile Gloves

NITRILE - BLK - Series

Patented Nitrex Polymer.
Over 6.0 mils thick Black Nitrile.
Two-Ply Fusion Strength.
Superior chemical resistance.
Fully textured with Grip Rite Finish.
Made to be tough for the task at hand!



NITRILE - BTG - Series

Powder Free Industrial Strength Black Nitrile Gloves. 8.0 mils thick. Raised Grip. Allows for unsurpassed grip. 100 gloves per box.



NITRILE - OMG - Series

Hi-Vis Orange color.
Patented Nitrex Polymer over
6.0 mils thick. Two-ply Fusion
Strength. Fully textured with
Grip Rite Finish. Made to be
tough for the task at hand.
Superior chemical resistance.



NITRILE - OTG - Series

Powder Free Industrial Strength Orange Nitrile Gloves with raised Torque Grip finish. Hi-Vis Orange color. 8.0 mills thick. Raised Grip. Allows for unsurpassed grip. 100 gloves per box.



NITRILE - BLU - Series

Patented Nitrex Polymer over 5.0 mils thick. Two-ply Fusion Strength. Fully textured with Grip Rite Finish. Superior chemical resistance. Made to be tough for the task at hand. Lighter color makes it easier to see certain chemicals and solvents.



NITRILE - 02-5503 - Series

MAMBA Snakeskin Black, Retail Size Large. 8.0 mils thick. Allows for unsurpassed grip. Unique retail package allows for grab and go sales. Package 10 gloves per pack.



NITRILE - 02-5504 - Series

MAMBA Snakeskin Black, Retail Size X-Large. 8.0 mils thick. Allows for unsurpassed grip. Unique retail package allows for grab and go sales. Package 10 gloves per pack.



NITRILE - BMX - Series

Patented Nitrex Polymer 7.0 mils thick. Two-ply Fusion Strength. Fully textured with Grip Rite Finish. Superior chemical resistance. Made to be tough for the task at hand. Lighter color makes it easier to see certain chemicals and solvents.



LIVE LIFE HANDS ON

Black Mamba Disposable Latex Gloves

LATEX - PFX - Series

Thick Latex. 7 mils thick. EZ Glide Donning System. Ideal for paint and body shop applications.100 gloves per box.



LATEX - TMG - Series

14 mils thick.
Heavy Duty Professional Latex.
EZ Glide Donning System.
12" Length for extra protection.
Textured Grip for secure handling.
50 per box.



Black Mamba Shoe Covers

MTX-50 - Series

Mamba Trax Shoe Covers.
Heavy duty grade shoe covers.
Fits up to 15" work boot.
Premium package design
eliminates waste.
6 boxes of 50 (25 pair) per case.
Also available in Size XL



MTX-100 - Series

Mamba Trax Shoe Covers. Heavy duty grade shoe covers. Fits up to 15" work boot. Premium package design eliminates waste. 3 boxes of 100 (50 pair) per case.



WPMTX-50 - Series

Designed for the Service Industry.
Triple layer SMS coated polyethylene material, anti-slip, anti-static, hydrophilic, waterproof. More resistant to abrasion, punctures and tears. Ideal for construction, HVAC, installation, plumbing, pest control and other residential and commercial service industries.



MTX-50XL - Series

Mamba Trax Shoe Covers. Heavy duty grade shoe covers. Fits up to 18" work boot. Premium package design eliminates waste. Packaged 6 boxes of 50 (25 per pair) per case.



Black Mamba Non-Disposable Safety Products

CT5 - Series

Cut Resistant Level 5.
Made with ultra high molecular weight polyethylene fiber.
Black polyurethane coating for superior grip. Great for HVAC and sheet metal applications.

ANSI Cut Rated A5



CT3 - Series

Cut Resistant Level 3.
Made with ultra high molecular weight polyethylene fiber.
Black polyurethane coating for superior grip. Great for HVAC and sheet metal applications.

ANSI Cut Rated A3



IPT - Series

Heavy Duty Impact Protection Work Gloves. Made with polyester lining and synthetic leather palms. Thermal plastic rubber protection where it matters the most! Adjustable velcro closure. Hi-visibility yellow color.



CPT - Series

Cut Level 5 Impact Glove.
Constructed with Ultra-High
molecular weight polyethylene fiber.
Sandy foam palm for superior grip
control. Heavy duty TPR rubber
protection on top of glove.
Hi-Vis safety yellow with
comfort fit adjustable strap.



NC - Series

Material Handling Glove.
Made from ultra-cool stretch
nylon, foam dipped with Nitrile
for superior grip. Great for light
industrial use and oily parts
handling.



PC - Series

Light Material Handling Glove. PU dipped. Made from an ultra-cool stretch nylon. Great for small parts handling, warehousing, automotive and light assembly.



WPNC - Series

Doubled Dipped Water Proof Nitrile Gloves dipped in Premium Nitrile with a sandy coated finish.Excellent oil repellency provided by coated palm and fingers. Increased comfort, flexibility and dexterity are key features. Elastic cuff provides secure fit keeping dirt and debris away from your hands.



CL - Series

Cotton Leather Work Glove.
Premium Pigskin Palm for excellent abrasion resistance and grip.
Cotton top of glove for comfort and breathability. Shirred Wrist cuff for ease of donning. Gunn Cut Pattern. Used for general purpose applications.



MMXU - Series: Blue

Mamba Mechanics Glove - Blue.
Dry Worx back along with vented fingers help keep hands cool and comfortable. TPR closure provides for a secure fit to wrist. Industrial grade hook and loop for speedy removal. Double-stitched, reinforced index finger construction for increased durability. Machine washable.



MMXB - Series: Black

Mamba Mechanics Glove - Black.
Dry Worx back along with vented fingers help keep hands cool and comfortable. TPR closure provides for a secure fit to wrist. Industrial grade hook and loop for speedy removal. Double-stitched, reinforced index finger construction for increased durability. Machine washable



BLACK MAMBA

Black Mamba New Products

Coveralls

Full Body Suit with Shoe Covers.
One size fits most. Five pocket step in, step out design.
Ideally suited for mold remediation, crawlspace, chimney work and many more dirty jobs.
Packaged one per bag, 25 per case.



EVA - Series

EVA Rain Coat. High Quality Ultra
Light EVA Raincoat. EVA is an
elastomeric polymer that produces
materials which are "rubber-like"
in softness and flexibility. 60" Length.
Snap Enclosures. .15 mil gauge.
Anti- low temperature and Anti- Aging
EVA material make this extremely durable.
Portable single pack for ease of carrying.



GRN - Series

Made from over 55% Recycled Polyester Liner (Recycled P.E.T. water bottles). Creates a comfortable and cool general-purpose glove, all while lowering our carbon footprint. Bettergrip in dry or light oil conditions with a sandy-foam nitrile finish. Great abrasion resistance. Excellent sensitivity and dexterity.



BBQ Glove

A unique type of heat resistant, aramid fiber knitting + natural cotton knitting liner. 2 layer delay time of heat transfer to hands. Double-sided, silica gel, effective anti-skid surface. Instantaneous contact withstands 800°C degrees or 1472°F degrees. Applications: BBQ Party, Cooking. Sold by the pair.



Chipper Glove - Long Cuff

Ideal for working with cable, jetter hoses and sewer snakes. Designed to allow the cables to roll off the raised heavy gauge PVC chips. Prevents glove from twisting on the end user's hand while reducing abrasion. Hi-Vis color for safety in darker areas. Made from durable PVC with a cotton liner that allows for easier donning application. Liquid proof shell.



Chipper Glove - Cuffed

Ideal for working with cable, jetter hoses and sewer snakes. Designed to allow the cables to roll off the raised heavy gauge PVC chips. Prevents glove from twisting on the end user's hand while reducing abrasion. Hi-Vis color for safety in darker areas. Made from durable PVC with a cotton liner that allows for easier donning application. Liquid proof shell.



HDV - Surveyor Vest

This Class 2 heavy duty surveyor vest has durable stitching reinforced at major stress points with heavy webbing to provide Guaranteed protection. The segmented heat transfer silver reflective tape with contrasting trim provide extra visibility in low light conditions. It has 4 tough pockets + large inside site plan back pocket.



This class 2 warp knitted polyester vest wears well for any job. It is high visibility yellow/green and features a hook-and-loop closure on the front. The two vertical and two horizontal 2" silver reflective ensures enhanced visibility in dark conditions. Each item is individually packaged in a polybag for retail sale.



Rack Up The Savings!



With The Black Mamba Rack&Pack Promotion!

Contact us today for more information & pricing.

- Compact space saver design. 60"H x 26"W x 14"D.
- Lightweight, durable metal construction.
- Removable shelves & added hooks to allow for interchangeable customization.
- Custom retail graphics
- Free shipping on rack & products on your first order.

With your first skid order of 60 or more cases!

www.BlackMambaGloves.com

www.blackmambagloves.com



CHEMICAL RESISTANCE CHART

	Nitrile		Nitrile		Nitrile
Acetaldehyde	Good	Furfural	Not Recommended	Nitropropane 95.5%	Fair
Acetic Acid	Good	Gasoline, Leaded	Very Good	Octyl Alcohol (Octanol)	Very Good
Acetone	Not Recommended	Gasoline, Unleaded	Very Good	Oleic Acid	Very Good
Ammonium Hydroxide	Very Good	Glycerine	Very Good	Oxalic Acid	Very Good
Amyl Acetate	Not Recommended	Hexane	Good	Palmitic Acid	Very Good
Aniline	Not Recommended	Hydrochloric Acid	Good	Perchloric Acid 60%	Good
Benzaldehyde	Good	Hydrofluoric Acid 48%	Good	Perchloroethylene	Good
Benzene	Not Recommended	Hydrogen Peroxide 30%	Good	Petroleum Distillates (Naphtha)	Very Good
Butyl Acetate	Not Recommended	Hydroquinone	Fair	Phenol	Fair
Butyl Alcohol	Very Good	Isooctane	Very Good	Phosphoric Acid	Very Good
Carbon Disulfide	Fair	Isopropyl Alcohol	Very Good	Potassium Hydroxide	Very Good
Carbon Tetrachloride	Good	Kerosene	Very Good	Propyl Acetate	Fair
Castor Oil	Very Good	Ketones	Not Recommended	Propyl Alcohol	Very Good
Chlorobenzene	Not Recommended	Lacquer Thinners	Not Recommended	Propyl Alcohol (ISO)	Very Good
Chloroform	Not Recommended	Lactic Acid 85%	Very Good	Refrigerants	
Chloronaphthalene	Not Recommended	Lauric Acid 36%	Very Good	R123	Good
Chromic Acid 50%	Fair	Linoleic Acid	Good	R407C	Good
Citric Acid 10%	Very Good	Linseed Oil	Very Good	R410A	Good
Cyclohexanol	Very Good	Maleic Acid	Very Good	R134A	Good
Dibutyl Phthalate	Good	Methyl Alcohol (Methanol)	Very Good	1234YF	Good
Diesel Fuel	Very Good	Methylamine	Good	Sodium Hydroxide	Very Good
Di-isobutyl Ketone (DIBK)	Not Recommended	Methyl Bromide	Fair	Styrene	Fair
Dimethylformamide	Good	Methyl Chloride	Not Recommended	Styrene 100%	Fair
Dioctyl Phthalate	Very Good	Methyl Ethyl Ketone (MEK)	Not Recommended	Sulfuric Acid	Good
Dioxane	Good	Methyl Isobutyl Ketone (MIBK)	Not Recommended	Tannic Acid 65%	Very Good
Epoxy Resins, Dry	Very Good	Methyl Methacrylate	Fair	Tetrahydrofuran	Fair
Ethyl Acetate	Fair	Monoethanolamine	Very Good	Toluene	Fair
Ethyl Alcohol (Ethanol)	Very Good	Morpholine	Good	Toluene Diisocyanate	Fair
Ethyl Ether	Good	Napthalene	Good	Trichloroethylene	Good
Ethylene Dichloride	Not Recommended	Naphthas, Aliphatic	Very Good	Triethanolamine	Very Good
Ethylene Glycol	Very Good	Naphthas, Aromatic	Good	Tung Oil	Very Good
Formaldehyde	Very Good	Nitric Acid	Fair	Turpentine	Very Good
Formic Acid	Very Good	Nitromethane 95.5%	Fair	Xylene	Fair

The above chart is intended to be used only as a guide. Its intent is to direct and educate qualified professionals responsible for assuring a safe work environment. Because the conditions and circumstances of the end use of our products are beyond our control and knowledge, and because it would be impossible to test permeation in all work environments and across the broad spectrum of chemicals and solutions, these recommendations should only be used for advisory purposes. The ultimate suitability of a products use in any environment must be pre-determined through thorough testing of the purchaser. The data contained within this guide is subject to revision as we gain additional knowledge and experience from field testing under varying conditions of use. The testing data herein contained reflects laboratory performance of the glove material and not necessarily the complete glove. Anyone using this guide should first determine that the glove selected is appropriate for the intended use and meets all applicable health and safety standards.

Neither this guide nor any other statement made herein by or on behalf of BlackMambaGloves.com or any of its distribution partners should be misconstrued as a warranty of merchantability or that any BlackMambaGloves.com product is suitable for a particular purpose. Black Mamba Gloves releases itself of responsibility for the suitability or efficacy of an end-user's selection of a product for a particular application.

LATEX CHEMICAL RESISTANCE CHART

	Latex		Latex		Latex
Acetaldehyde	Good	Freon 11	Not Recommended	Naphthas, Aliphatic	Fair
Acetic Acid	Very Good	Freon 12	Not Recommended	Naphthas, Aromatic	Not Recommended
Acetone	Very Good	Freon 21	Not Recommended	Nitric Acid	Fair
Ammonium Hydroxide	Very Good	Freon 22	Not Recommended	Nitromethane 95.5%	Not Recommended
Amyl Acetate	Not Recommended	Furfural	Good	Nitropropane 95.5%	Not Recommended
Aniline	Faird	Gasoline, Leaded	Not Recommended	Octyl Alcohol (Octanol)	Very Good
Benzaldehyde	Fair	Gasoline, Unleaded	Not Recommended	Oleic Acid	Fair
Benzene	Fair	Glycerine	Good	Oxalic Acid	Very Good
Butyl Acetate	Fair	Hexane	Not Recommended	Palmitic Acid	Very Good
Butyl Alcohol	Very Good	Hydrochloric Acid	Good	Perchloric Acid 60%	Fair
Carbon Disulfide	Fair	Hydrofluoric Acid 48%	Good	Perchloroethylene	Not Recommended
Carbon Tetrachloride	Not Recommended	Hydrogen Peroxide 30%	Good	Petroleum Distillates (Naphtha)	Not Recommended
Castor Oil	Not Recommended	Hydroquinone	Good	Phenol	Fair
Chlorobenzene	Not Recommended	Isooctane	Not Recommended	Phosphoric Acid	Good
Chloroform	Not Recommended	Isopropyl Alcohol	Very Good	Potassium Hydroxide	Very Good
Chloronaphthalene	Not Recommended	Kerosene	Fair	Propyl Acetate	Fair
Chromic Acid 50%	Not Recommended	Ketones	Very Good	Propyl Alcohol	Very Good
Citric Acid 10%	Very Good	Lacquer Thinners	Fair	Propyl Alcohol (ISO)	Very Good
Cyclohexanol	Fair	Lactic Acid 85%	Very Good	Sodium Hydroxide	Very Good
Dibutyl Phthalate	Not Recommended	Lauric Acid 36%	Fair	Styrene	Not Recommended
Diesel Fuel	Not Recommended	Linoleic Acid	Not Recommended	Styrene 100%	Not Recommended
Di-isobutyl Ketone (DIBK)	Fair	Linseed Oil	Not Recommended	Sulfuric Acid	Good
Dimethylformamide	Fair	Maleic Acid	Very Good	Tannic Acid 65%	Very Good
Dioctyl Phthalate	Not Recommended	Methyl Alcohol (Methanol)	Very Good	Tetrahydrofuran	Fair
Dioxane	Good	Methylamine	Fair	Toluene	Not Recommended
Epoxy Resins, Dry	Very Good	Methyl Bromide	Fair	Toluene Diisocyanate	Good
Ethyl Acetate	Fair	Methyl Chloride	Not Recommended	Trichloroethylene	Fair
Ethyl Alcohol (Ethanol)	Very Good	Methyl Ethyl Ketone (MEK)	Good	Triethanolamine	Good
Ethyl Ether	Good	Methyl Isobutyl Ketone (MIBK)	Fair	Tung Oil	Not Recommended
Ethylene Dichloride	Not Recommended	Methyl Methacrylate	Good	Turpentine	Fair
Ethylene Glycol	Good	Monoethanolamine	Good	Xylene	Not Recommended
Formaldehyde	Very Good	Morpholine	Very Good		
Formic Acid	Veny Good	Nanthalene	Fair		

The above chart is intended to be used only as a guide. Its intent is to direct and educate qualified professionals responsible for assuring a safe work environment. Because the conditions and circumstances of the end use of our products are beyond our control and knowledge, and because it would be impossible to test permeation in all work environments and across the broad spectrum of chemicals and solutions, these recommendations should only be used for advisory purposes. The ultimate suitability of a products use in any environment must be pre-determined through thorough testing of the purchaser. The data contained within this guide is subject to revision as we gain additional knowledge and experience from field testing under varying conditions of use. The testing data herein contained reflects laboratory performance of the glove material and not necessarily the complete glove. Anyone using this guide should first determine that the glove selected is appropriate for the intended use and meets all applicable health and safety standards.

Neither this guide nor any other statement made herein by or on behalf of BlackMambaGloves.com or any of its distribution partners should be misconstrued as a warranty of merchantability or that any BlackMambaGloves.com product is suitable for a particular purpose. BlackMambaGloves releases itself of responsibility for the suitability or efficacy of an end-user's selection of a product for a particular application.

www.BlackMambaGloves.com